Telefax: +49(0)37208/84268

## **Safety Data Sheet**

according to UK REACH Regulation

### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**OLI-AQUA AUTHENTIC 51.30** 

#### Further trade names

OLI-AQUA AUTHENTIC 51.30 2K Parkettsiegel

Ultramatt

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Colour

### 1.3. Details of the supplier of the safety data sheet

Company name: Oli Lacke GmbH
Street: Bahnhofstrase 22
Place: D-09244 Lichtenau
Telephone: +49(0)37208/84200

e-mail: entwicklung@oli-lacke.de

Internet: www.oli-lacke.de

**1.4. Emergency telephone** Gemeins. Gifinformationszentrum Erfurt

number: +49(0)361/730730

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

### **GB CLP Regulation**

### **Precautionary statements**

P102 Keep out of reach of children.

### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

according to UK REACH Regulation

### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 2 of 8

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	n)			
111109-77-4	Dipropylenglykoldimethylether			1 - < 5 %	
	404-640-5		01-0000015420-83		
112-34-5	2-(2-butoxyethoxy)ethanol, diethy		< 0.1 %		
	203-961-6	603-096-00-8	01-2119475104-44		
	Eye Irrit. 2; H319				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2		< 0.1 %		
	220-120-9	613-088-00-6			
	Acute Tox. 4, Skin Irrit. 2, Eye Dal H400	H302 H315 H318 H317			
55965-84-9	reaction mass of 5-chloro-2-methy	2H-isothiazol-3-one (3:1)	< 0.1 %		
	-	613-167-00-5			
	Acute Tox. 2, Acute Tox. 2, Acute Acute 1, Aquatic Chronic 1; H330				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	< 0.1 %
	dermal: LD50 =	= 4120 mg/kg; oral: LD50 = 5660 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
	oral: ATE = 50	0 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	= 50 mg/kg; ora	M=100	

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

If unconscious but breathing normally, place in recovery position and seek medical advice. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps.

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. If breathing is irregular or stopped, administer artificial respiration.

### After contact with skin

IF ON SKIN: Wash with plenty of soap and water. Do not wash with: Solvents/Thinner

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

according to UK REACH Regulation

#### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 3 of 8

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO2). Extinguishing powder. Water mist

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Use suitable breathing apparatus. Hazardous combustion products

### 5.3. Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Clear spills immediately. Take up mechanically, placing in appropriate containers for disposal. Dispose of waste according to applicable legislation.

## 6.4. Reference to other sections

none

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. Do not eat, drink, smoke or sneeze at the workplace. Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains.

### Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Do not store at temperatures above 35°C Only allow access to authorised staff.

### Hints on joint storage

Storage class 12

Keep away from: Oxidizing agent Acids alkalines

according to UK REACH Regulation

### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 4 of 8

### 7.3. Specific end use(s)

No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

### 8.2. Exposure controls

## Appropriate engineering controls

Provide adequate ventilation.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

### Hand protection

Disposable gloves

### Skin protection

Only wear fitting, comfortable and clean protective clothing. Take off immediately all contaminated clothing. After work, wash hands and face.

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Test method

### Changes in the physical state

Boiling point or initial boiling point and 100 °C

boiling range:

Flash point: > 60 °C

Flow time: verarbeitungsfertig

Density (at 20 °C): 1,05 g/cm³ ISO 2811

### 9.2. Other information

according to UK REACH Regulation

### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 5 of 8

### Other safety characteristics

Solvent content: 1,8 % Solid content: 32,4 %

**Further Information** 

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

Acids alkalines Oxidizing agent

### 10.4. Conditions to avoid

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether					
	oral	LD50 mg/kg	5660	Rat		
	dermal	LD50 mg/kg	4120	Rabbit		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	oral	ATE mg/kg	500			
55965-84-9	9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	ATE mg/kg	100			
	dermal	ATE	50 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Avoid release to the environment. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

according to UK REACH Regulation

### **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 6 of 8

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50 > 100 mg/l		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	0,56 (25°C)

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No information available.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Avoid release to the environment. Refer to special instructions/Safety data sheets. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Contaminated packages must be completely emptied and can be re-used following proper cleaning.

### List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

### List of Wastes Code - used product

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

## List of Wastes Code - contaminated packaging

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

### **SECTION 14: Transport information**

according to UK REACH Regulation

#### **OLI-AQUA AUTHENTIC 51.30**

Product code: A04573 Revision date: 03.07.2023 Page 7 of 8

### Land transport (ADR/RID)

### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

#### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** Nο

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55, Entry 75

2010/75/EU (VOC): 34 g/l

### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

#### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract.

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5 **EUH208** 

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

according to UK REACH Regulation

## **OLI-AQUA AUTHENTIC 51.30**

Revision date: 03.07.2023 Product code: A04573 Page 8 of 8

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)