according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**OLI-AQUA ECO B 18.28** 

#### Further trade names

OLI-AQUA ECO B 18.28

1K Buntlack diverse Farbtöne

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Colour

### 1.3. Details of the supplier of the safety data sheet

Company name: Oli Lacke GmbH
Street: Bahnhofstrase 22
Place: D-09244 Lichtenau

Telephone: +49(0)37208/84200 Telefax: +49(0)37208/84268

e-mail: entwicklung@oli-lacke.de

Internet: www.oli-lacke.de

1.4. Emergency telephone Gemeins. Gifinformationszentrum Erfurt

number: +49(0)361/730730

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

# 2.2. Label elements

### Regulation (EC) No. 1272/2008

### **Precautionary statements**

P102 Keep out of reach of children.

### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an

allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 2 of 8

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	203-905-0	603-014-00-0	01-2119475108-36			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319					
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	220-120-9	613-088-00-6				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H400	. 1, Skin Sens. 1, Aquatic Acute 1; H	302 H315 H318 H317			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
111-76-2	203-905-0	5-0 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 470 mg/kg			
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %		
	oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100				

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

Impaired consciousness

### 4.3. Indication of any immediate medical attention and special treatment needed

Call a physician immediately.

according to Regulation (EC) No 1907/2006

# **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 3 of 8

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# **General measures**

Contains: Solvent - Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safe handling: see section 7

Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

### Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

# 6.4. Reference to other sections

See section 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Contains: Solvent - In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away. Use explosion-proof electrical equipment.

Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink or smoke.

### Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 4 of 8

### Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV)

#### Hints on joint storage

Do not store together with: Oxidising agent, Strong acid, Strong alkali

### Further information on storage conditions

Follow the instructions for use on the label. storage temperature of °C 5 up to °C 30

Contains: Solvent - Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL

### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### Eye/face protection

Wear eye/face protection.

### **Hand protection**

Wear suitable gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material: NBR (Nitrile rubber).

Use protective skin cream before handling the product.

according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 5 of 8

### Skin protection

Wear anti-static footwear and clothing (Natural fibres (e.g. cotton) / heat-resistant synthetic fibres)

### Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour:

Test method

# Changes in the physical state

Flash point: > 60 °C DIN EN ISO 1523

Lower explosion limits: 1,1 vol. %
Upper explosion limits: 10,6 vol. %
Vapour pressure: 31,6 hPa

(at 20 °C)

Density (at 20 °C): 1,08 g/cm<sup>3</sup> ISO 2811

Solvent separation test: < 3 %
Solvent content: 8 %

9.2. Other information

Solid content: 31 %

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

refer to chapter 7. No further action is necessary.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

# 10.4. Conditions to avoid

In case of warming: Formation of: Hazardous decomposition products

# 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO2), Carbon monoxide

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

GB - EN Print date: 15.10.2021

according to Regulation (EC) No 1907/2006

# **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 6 of 8

# **Acute toxicity**

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether						
	oral	LD50 mg/kg	470	Rat			
	dermal	ATE mg/kg	1100				
	inhalation vapour	ATE	11 mg/l				
	inhalation aerosol	ATE	1,5 mg/l				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	oral	ATE mg/kg	500				

### **Further information**

There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Reference to other sections: 2, 3

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity Dose [h]   [d] Species Source Method							
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether							
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus				

# 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)

### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB .

# 12.7. Other adverse effects

No data available

### **Further information**

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains.

according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 7 of 8

Dispose according to legislation.

# List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

#### List of Wastes Code - used product

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

### List of Wastes Code - contaminated packaging

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

other than those mentioned in 08 01 11

#### Contaminated packaging

Completely emptied packages can be recycled.

Dispose according to legislation.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

#### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

# Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

### Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

refer to chapter 7. No further action is necessary.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28

2004/42/EC (VOC): 90 g/l

### **National regulatory information**

GB - EN Print date: 15.10.2021

according to Regulation (EC) No 1907/2006

### **OLI-AQUA ECO B 18.28**

Revision date: 01.10.2021 Product code: A03692 Page 8 of 8

Water hazard class (D):

1 - slightly hazardous to water

**Additional information** 

Observe in addition any national regulations!

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment is not required.

# **SECTION 16: Other information**

# Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.	
110.40	
H312 Harmful in contact with skin.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H332 Harmful if inhaled.	
H400 Very toxic to aquatic life.	
EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May pro- allergic reaction.	duce an
EUH210 Safety data sheet available on request.	
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do n spray or mist.	ot breathe

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

GB - EN Print date: 15.10.2021