according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 I 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

OLI-AQUA PRIME 15.81 I 1K Rollgrund

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Colour

# 1.3. Details of the supplier of the safety data sheet

Company name:	Oli Lacke GmbH	
Street:	Bahnhofstrase 22	
Place:	D-09244 Lichtenau	
Telephone:	+49(0)37208/84200	Telefax: +49(0)37208/84268
e-mail:	entwicklung@oli-lacke.de	
Internet:	www.oli-lacke.de	
1.4. Emergency telephone	Gemeins. Gifinformationszentrum Erfurt	
<u>number:</u>	+49(0)361/730730	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

# 2.2. Label elements

P102

# GB CLP Regulation

EUH208

#### Precautionary statements

Keep out of reach of children.

#### Special labelling of certain mixtures

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 I 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 2 of 8

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation				
34590-94-8	Dipropylenglykolmonomethylether				
	252-104-2		01-2119450011-60		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-		< 0.1 %		
	220-120-9	613-088-00-6			
	Acute Tox. 4, Skin Irrit. 2, Eye Dai H400	H302 H315 H318 H317			
55965-84-9	reaction mass of 5-chloro-2-methy	< 0.1 %			
	-	613-167-00-5			
	Acute Tox. 2, Acute Tox. 2, Acute Acute 1, Aquatic Chronic 1; H330	· ·			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
	oral: ATE =	500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	= 50 mg/kg; 0 0,06 - < 0,6		

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

## After contact with skin

Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately.

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 | 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 3 of 8

Put victim at rest, cover with a blanket and keep warm. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Impaired consciousness

# 4.3. Indication of any immediate medical attention and special treatment needed

Call a physician immediately.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure. Use appropriate respiratory protection.

#### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Contains: Solvent - Keep away from sources of ignition - No smoking. Ventilate affected area. Avoid breathing dust/fume/gas/mist/vapours/spray. Safe handling: see section 7 Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13 Clean with detergents. Avoid solvent cleaners.

### 6.4. Reference to other sections

See section 8.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Contains: Solvent - In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away. Use explosion-proof electrical equipment.

Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 | 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 4 of 8

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink or smoke.

### Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV)

#### Hints on joint storage

Do not store together with: Oxidising agent, Strong acid, Strong alkali

#### Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of °C 5 up to °C 30

Contains: Solvent - Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

# 8.2. Exposure controls

### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

## Hand protection

Wear suitable gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material: NBR (Nitrile rubber).

Use protective skin cream before handling the product.

#### Skin protection

Wear anti-static footwear and clothing (Natural fibres (e.g. cotton) / heat-resistant synthetic fibres)

#### **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values.

# Use suitable breathing apparatus.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 | 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 5 of 8

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state: liquid Colour: Test method Changes in the physical state 100 °C Boiling point or initial boiling point and boiling range: > 60 °C DIN EN ISO 1523 Flash point: Lower explosion limits: 1.4 vol. % Upper explosion limits: 10,4 vol. % 240 °C Auto-ignition temperature: pH-Value (at 20 °C): 6 - 8 Flow time: verarbeitungsfertig (at 20 °C) Vapour pressure: 31,6 hPa (at 20 °C) Density (at 20 °C): 1,01 g/cm3 ISO 2811 9.2. Other information Other safety characteristics < 3 % Solvent separation test: Solvent content: 3,5 % Solid content: 30 % **Further Information**

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

refer to chapter 7. No further action is necessary.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

# 10.4. Conditions to avoid

In case of warming: Formation of: Hazardous decomposition products

# 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO2), Carbon monoxide

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 I 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 6 of 8

### Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	oral	ATE mg/kg	500			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	ATE mg/kg	100			
	dermal	ATE	50 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

#### Further information

There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive

(1999/45/EC).

# Reference to other sections: 2, 3

# **SECTION 12: Ecological information**

# 12.2. Persistence and degradability

No data available

### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No data available

# **Further information**

080112

There are no data available on the mixture itself. Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose according to legislation.

# List of Wastes Code - residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

#### List of Wastes Code - used product

according to UK REACH Regulation

Revision date: 16.		I-AQUA PRIME 15.81 I 1K Rollgrund Product code: A00705	Page 7 of 8			
080112	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11					
List of Wastes 080112	COATINGS (PAINTS, VAR	IUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF NISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND om MFSU and removal of paint and varnish; waste paint and varnish				
	l <b>packaging</b> / emptied packages can be re ccording to legislation.	ecycled.				
SECTION 14: Tr	ransport information					
No danger Inland waterways	ble information (land transp rous good in sense of these to	ransport regulations.				
No danger Marine transport Other applica	ous good in sense of these tr	ansport regulations.				
Air transport (ICA Other applical	<b>U</b>	rt)				
14.5. Environmen						
-		No				
	apter 7. No further action is n Insport in bulk according to	-				
SECTION 15: R	egulatory information					
15.1. Safety, heal	th and environmental regula	ations/legislation specific for the substance or mixture				
EU regulatory	information use (REACH, annex XVII):	35 g/l				
	latory information	oo y.				
Water hazard o Additional info	class (D):	1 - slightly hazardous to water tions!				
	<mark>afety assessment</mark> bstance a chemical safety as	ssessment is not required.				
SECTION 16: Of	ther information					

#### \_\_\_\_\_

according to UK REACH Regulation

# **OLI-AQUA PRIME 15.81 I 1K Rollgrund**

Revision date: 16.04.2020

Product code: A00705

Page 8 of 8

# Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)